Fact Sheet, February 2012



IRTA

Institute for Research and Technical Assistance

Department of Toxic Substances Control

Alternatives to Copper Antifouling Paints for Pleasure Craft

Copper antifouling paints are commonly used to protect boat hulls from excessive foul-ing attachment which can slow the vessel and reduce maneuverability. Copper has built up to toxic levels in many of the Basins and marinas in California because of the concentration of pleasure craft in these areas. Over the last several years, alternatives to copper hull paints have emerged and they are being used by boaters to some ex-tent. This fact sheet describes the alternative non-biocide paints that have been tested in the last few years and discusses the costs of using them in place of copper paints.



What Are the Alternatives to Copper Hull Paints?


There are a variety of copper paint alternatives offered by suppliers today. These include alternative biocide paints that are based on zinc pyri-thione, a zinc biocide, and/or Econea, an

organic biocide. Zinc oxide only paints, based on zinc, are also available. Nonbiocide paint alternatives, classified as soft nonbiocide paints, which are based on silicon and often fluoropolymers, and hard nonbiocide paints, which are based on epoxy and sometimes ceramic, are also available. Much of the testing work on alternatives has been performed in Southern California so the results available to date reflect the fouling characteristics and hull cleaning practices in that area.



Copper paints generally last two or three years before repainting is necessary. Alternative bio-cide and zinc oxide only paints have shorter lives. Since the paints themselves are more costly and they have the same hull cleaning schedule as copper paints, these alternatives are more costly to use over the life of the paint than copper paints.

Nonbiocide paints generally have a much longer life than copper paints and some have been on boats for six to 10 years. Because the paints are









the cleaning schedule for copper paints but the hard nonbiocide paints must be cleaned more often than copper paints in the summer. The cost of using the soft nonbiocide paints over the life of the paint is roughly equiv alent to the cost of using a copper paint over the life of the paint; the higher paint job cost is offset by the longer life of the paint. The cost of using the hard nonbiocide paints over the life of the paint is somewhat higher than the cost of using a copper paint over the life of the paint because these alternative paints need to be cleaned more frequently.

Should I Try a Nonbiocide Paint on My Boat?

From an overall health and environmental standpoint, the best alternatives are the nonbiocide paints. Soft nonbiocide paints have been tested in two projects sponsored by EPA over the last several years. In one project, the Institute for Research and Technical Assistance (IRTA), a non-profit technical organization, partnered with the Port of San Diego to test all types of alterna-tive paints. The report, entitled "Safer Alternatives to Copper Antifouling Paints for Marine Ves-sels" can be accessed on IRTA's website at www.irta.us. In the second project, IRTA partnered with Cal/EPA's Department of Toxic Substances Control (DTSC) to exclusively test and find less costly methods of applying nonbiocide alternative paints. The project report, entitled "Safer Alternatives to Copper Antifouling Paints: Nonbiocide Paint Options" can also be accessed on IRTA's website.

In the Port/IRTA project, two of the best performing paints were soft nonbiocide paints called Hempasil X3 and Intersleek 900. In the DTSC/IRTA project, these paints and additional emerging paints were tested on boats and/or panels. The additional emerging paints that performed well in the DTSC/IRTA project includ-ed Hempasil XA 278, BottomSpeed, XP-A101 and Sher-Release. In many cases, the paints were applied to the boats using less expensive methods which should help in reducing the cost of the paint jobs.



Boaters who are interested in testing or using alternative nonbiocide paints can contact Katy Wolf at IRTA at (323) 656-1121.

DISCLAIMER

This report was prepared as a result of work sponsored and paid for by the California Environmental Protection Agency's (Cal/EPA's) Department of Toxic Substances Control (DTSC) and the United States Environmental Protection Agency (U.S. EPA). The opinions, find-ings, conclusions and recommendations are those of the author and do not necessarily represent the views of the sponsors. Mention of trade names, products or services does not convey and should not be interpreted as conveying Cal/EPA, DTSC or U.S. EPA approval, en-dorsement or recommendation. DTSC, U.S. EPA, their officers, employees, contractors and subcontractors make no warranty, expressed or implied, and assume no legal liability for the information in this report. The sponsors have not approved or disapproved this report nor have the sponsors passed upon the accuracy or adequacy of the information contained herein.